



scan voor vc-card



The Beauty of Photovoltaics

Sunpark Greenhouse

Double use of Solar energy



Greenhouse renovations

The Robisol Sunpark Greenhouse system allows the application of standard solar panels on standard greenhouses. In production greenhouses where a lot of chalking is required or a new use is envisaged, it is a logical step to integrate solar energy into the roof structure. To minimize the risk of glass breakage and damage, the Sunpark Greenhouse System offers a strong and reliable construction. We do not reuse an old and potentially damaged roof system, but supply a new roof that is calculated to support the heaviest wind and snow loads. Even the half-glass sections can be replaced by full-sized solar panels.




+31 (0)10 223 5953



/robisol

info@robisol.com



Transition glass to solar



Extra light transparency



The gutter and substructure

When renovating a greenhouse, it is important that the existing gutters and substructures meet the current building requirements. When reinforcements are required, they can be realised by the greenhouse builder or our mounting team.

Older greenhouses often have steel gutters. Robisol has connection profiles for gutter types APD, AP, HI and AC. Newer greenhouses usually have aluminium gutters. Robisol has cover profiles that fit most aluminium gutter types. Another option is to use our High Load aluminium gutter which allows higher snow loads and larger section sizes.



Freedom of choice



Examples of solar panels

Roof size (gutter c.t.c.)	4.00m	3.20m	3.20m
Power	535Wp	450 Wp	400Wp
Light transmission	6%	6%	20%
Composition	132 cell glass-glass	108 cell glass-glass	96 cell glass-glass
Size	2094x1134x30mm	1722x1134x30mm	1722x1134x30mm
Fire class	C (A on request)	C (A on request)	C (A on request)
Wind load	2400Pa	2400Pa	2400Pa
Snow load	5400Pa	5400Pa	5400Pa
Product warranty	15 year	15 year	15 year
Output warranty	30 year linear	30 year linear	30 year linear


The PV Modules

The Sunpark System is suitable for almost all types of solar panels. In cooperation with investors or large scale installers, there is often a desire to buy 'own' panels so that the efficiency of the PV System can be guaranteed. Standard solar panels provide a friendly interior space, but the low light transmission is less suitable for growing crops.


If you want to retain light transmission, glass-glass panels with extra spacing between the cells can provide an even light distribution in the greenhouse. Together with LED support, screening and climate control, a high-end production facility can be created that is similar to the principles of the semi-closed greenhouse.



Quick assembly



Cable management



Practical benefits

The Sunpark system was developed as an alternative for open-field structures. With a more friendly use of space, greenhouse owners can often find a double business model while contributing to sustainable energy.

Advantages provided:

- High **Energy production** per square metre;
- **Cooling** of the solar panels through natural ventilation;
- **Strengthening** the roof structure with minimal risk of glass breakage;
- A **watertight** roof that mounts on existing gutters and drainage;
- Integrated **electrical management** for maximum efficiency.